




COOLEGE

# COOLEGE TILE TUNABLE WHITE QUICK START GUIDE

For detailed instructions, please refer to: EXT-0043: Cooledge TILE Tunable White Installation Instructions



Caution: Observe precautions for handling electrostatic sensitive devices.



**RoHS**

**5 Year Limited Warranty:**  
Parts and workmanship.

EN 60598 Compliant (as a system)



Cooledge Lighting Inc.  
120-13551 Commerce Parkway  
Richmond, BC V6V 2L1 Canada

O +1604 273 2665  
F +1604 273 2660  
T +1844 455 4448  
W [cooledgelighting.com](http://cooledgelighting.com)



Cooledge Lighting reserves the right to change materials or modify the design of its product without notification as part of the company's continuing product improvement program.

EXT-0042-R03-160916 1/6

1




2





3


Standard Mounting




90° Mounting



4




5




Cut TILE between guide lines

6




Cut Corner TILE between guide lines


## CUTTING TILE TUNABLE WHITE CUT-OUT





## CUTTING TILE TUNABLE WHITE - DO NOT BEND SHEET SHARPLY AROUND CORNERS





## TILE TUNABLE WHITE CUT-OUT - ACCEPTABLE INTERNAL CUTOUT CONFIGURATIONS




TILE TUNABLE WHITE CUT-OUT - ACCEPTABLE CORNER CUTOUT CONFIGURATIONS




TILE TUNABLE WHITE CUT-OUT - UNACCEPTABLE CORNER CUTOUT CONFIGURATIONS







UL Listed



CE Compliant



3rd Party Driver



WIRED TWC LED Control Unit